## **ALTERNATOR**

Frequency	50 Hz
Power	110 kVA
Voltage	230 / 400 V
Nb of Phases	3
Aut. Voltage Regulator (AVR)	AS440
Voltage Regulation	±1%
Insulation Class	Н
Protection Standard	IP22-IP23
Power Factor	0.8 Cos

#### **ENGINE**

- PERKINS heavy duty diesel
- engine 12V / 24V starter and charge
- alternator
  Replaceable air, fuel and oil filters
  Mechanical governor control
  Tropical type radiator
  Flexible fuel hose

- Oil drain valve and extension höse Industrial type silencer and steel compensator Maintenance-free starter battery
- Water jacket heater 1500 rpm engine speed

# **DIMENSIONS & WEIGHT**

WITH CANOPY: Length L(mm) Width W (mm) Height H (mm):2800x1000x1500 Weight (Kg): 1480 FuelTank Capacity (L): 195

OPEN TYPE: Length L(mm) Width W (mm) Height H (mm):2350x1000x1450 Weight (Kg): 1290 FuelTank Capacity (L): 195

Manufacturer reserves the right to make changes in model, technical specifications, color, equipment and accessories without prior notice.

## **EAP-110 DIESEL GENERATOR SET**

1)Standby power: The max power available during a variable electrical power sequence, under the stated operating conditions, for which a generating set is capable of delivering in the event of a utility power outage. Overloading isn't

**2)Prime Power:** The maximum power which a generating set is capable of delivering continuously whilst supplying a variable electrical load. Average load should be 70%. The generator can be overloaded 10% for 1 hour per 12 hrs.

# **GENERAL SPECIFICATIONS**

Stand By Power:	110 kVA – 88 kW
Prime Power	100 kVA - 80 kW
Frequency	50 Hz
Cooling System	Water Cooling

### **ENGINE**

EIVOIIVE	
Engine	PERKINS
Engine Model	1104C-44TAG2
Number of Cylinders	4 Inline
Injection System	Direct
Compression Ratio	18.2:1
Bore	105 mm
Stroke	127 mm
Displacement	4.4 lt
Air Intake	Turbo Intercooler
Speed (RPM)	1500 rpm
Oil Capacity	8 lt
Standby Power	80.7 / 109 kW / hp
Prime Power	73.4 / 99 kW / hp
Fuel Type	Euro Diesel
Governor System	Mechanical
Cooling System	Water Cooling
Coolant Capacity	13 lt
Fuel Consumption Full	22 (lt / hr)
Load	
Fuel Consumption %75	16.9 (lt / hr)
Load	
Fuel Consumption %50	11.1 (lt / hr)
Load	







