### **ALTERNATOR**

Frequency	50 Hz
Power	200 kVA
Voltage	400 V
Nb of Phases	3
Aut. Voltage Regulator (AVR)	AS440
Voltage Regulation	±1%
Insulation Class	Н
Protection Standard	IP22-IP23
Power Factor	0.8 Cos

#### **ENGINE**

- PERKINS heavy duty diesel
- engine 12V / 24V starter and charge
- alternator
  Replaceable air, fuel and oil filters
  Mechanical governor control
  Tropical type radiator
  Flexible fuel hose

- Oil drain valve and extension höse Industrial type silencer and steel compensator Maintenance-free starter battery
- Water jacket heater 1500 rpm engine speed

## **DIMENSIONS & WEIGHT**

WITH CANOPY: Length L(mm) Width W (mm) Height H (mm):3150x1000x1850 Weight (Kg): 2190 FuelTank Capacity (L): 220

OPEN TYPE: Length L(mm) Width W (mm) Height H (mm):2550x1000x1750 Weight (Kg): 1850 FuelTank Capacity (L): 220

Manufacturer reserves the right to make changes in model, technical specifications, color, equipment and accessories without prior notice.

## **EAP-200 DIESEL GENERATOR SET**

1)Standby power: The max power available during a variable electrical power sequence, under the stated operating conditions, for which a generating set is capable of delivering in the event of a utility power outage. Overloading isn't

**2)Prime Power:** The maximum power which a generating set is capable of delivering continuously whilst supplying a variable electrical load. Average load should be 70%. The generator can be overloaded 10% for 1 hour per 12 hrs.

# **GENERAL SPECIFICATIONS**

Stand By Power:	200 kVA – 160 kW
Prime Power	182 kVA - 145 kW
Frequency	50 Hz
Cooling System	Water Cooling

#### **ENGINE**

Engine	PERKINS
Engine Model	1106A-70TAG3
Number of Cylinders	6 Inline
Injection System	Direct
Compression Ratio	16:01
Bore	105 mm
Stroke	135 mm
Displacement	7.01 lt
Air Intake	Turbo Aftercooler
Speed (RPM)	1500 rpm
Oil Capacity	16.5 lt
Standby Power	180.2 / 243.5 kW / hp
Prime Power	162.7 / 220 kW / hp
Fuel Type	Euro Diesel
Governor System	Electronic
Cooling System	Water Cooling
Coolant Capacity	22 lt
Fuel Consumption Full Load	41.5 (lt / hr)
Fuel Consumption %75 Load	31.8 (lt / hr)
Fuel Consumption %50 Load	20.2 (lt / hr)







